




















INDOOR	SKU	Compatible Products	Description	Kit Contents
	902-0120-0000	<ul style="list-style-type: none"> ZoneFlex R720 ZoneFlex R710 ZoneFlex R700* ZoneFlex R600* ZoneFlex R610* ZoneFlex R500* ZoneFlex R510* ZoneFlex R310 <p>* fits AP, but does not support padlock security*</p>	Multipurpose mounting bracket for indoor AP's supports mounting to hard wall, ceiling, pole or truss. Supports padlock security with ZoneFlex R710.	<ul style="list-style-type: none"> (1) Sheet metal mounting bracket (2) #6 wood screws & anchors
	902-0100-0000	<ul style="list-style-type: none"> ZoneFlex R700 	Multipurpose mounting bracket for 7982 supports mounting to hard wall, ceiling, electrical outlet box, pole or truss. Supports physical security with padlock or security Torx.	<ul style="list-style-type: none"> (1) Accessory mounting bracket with security options (1) Torx screw (4) Wood screws (2) Pipe clamps
	902-0108-0000	<ul style="list-style-type: none"> ZoneFlex R500 ZoneFlex R510 ZoneFlex R600 	Multipurpose mounting bracket for 7352 and 7372 models. Supports mounting to hard wall, ceiling, electrical outlet box, pole or truss. Supports physical security with padlock or security Torx.	<ul style="list-style-type: none"> (1) Accessory mounting bracket with security options (1) Torx screw (4) Wood screws (1) Pipe clamp
	902-0119-0000	<ul style="list-style-type: none"> ZoneFlex H500 	Used to mount ZoneFlex H500 Wall Switch AP to locations where there is no wall box present for mounting. Note, this bracket is not required for standard wall box mounting.	<ul style="list-style-type: none"> (1) Plastic bracket (2) Torx screws*
	902-0126-000	<ul style="list-style-type: none"> ZoneFlex H510 	Optional bracket, used to mount ZoneFlex H510 wall switch AP to locations where there is no junction box available for mounting	<ul style="list-style-type: none"> 1) Plastic bracket 2) Torx screws*
	902-0124-0000	<ul style="list-style-type: none"> ZoneFlex C110 	Optional bracket, used to mount ZoneFlex C110 wall plate AP to locations where there is no junction box available for mounting	<ul style="list-style-type: none"> 1) Plastic bracket 2) Torx screws*
	902-0123-0000	<ul style="list-style-type: none"> ZoneFlex R710 	Flush-frame acoustic ceiling bracket for ZoneFlex R710. Flush-frame only – not applicable for standard (recessed-frame) acoustic ceiling.	<ul style="list-style-type: none"> (1) Mounting bracket (2) Mounting guide
	902-0118-0000	<ul style="list-style-type: none"> ZoneFlex R300 	Secure mounting bracket for the ZoneFlex R300 access point. Mounts to hard wall or ceiling, or pole / truss with user supplied straps. Supports physical security with Torx or Phillips screw.	<ul style="list-style-type: none"> (1) Secure mounting bracket (2) #8 screws and wall anchors (1) #4 Torx screw for physical security (1) #4 Phillips screw for physical security



OUTDOOR

	SKU	Compatible Products	Description	Kit Contents
	902-0182-0003	<ul style="list-style-type: none"> ZoneFlex T300 ZoneFlex T301s ZoneFlex T301n ZoneFlex T300e ZoneFlex P300 ZoneFlex 7781CM 	Outdoor AP mounting bracket (weatherized aluminum), 180-degree adjustment range in both azimuth and elevation. Mounting support for solid wall or ceiling, vertical or horizontal pole 1" to 4" in diameter using enclosed mounting hardware. Pole diameter greater than 4" can be supported with user-supplied clamps.	<ul style="list-style-type: none"> (1) Mounting bracket: weatherized aluminum (1) Hanger mount: weatherized aluminum (1) Extension: weatherized aluminum (2) M8 hex bolts with spring locks & washers (4) SAE32 steel clamps, 2.5" (4) M4 x 12mm machine screws with spring locks & washers (4) 0.25-28 x 0.625" machine screws with spring locks & washers
	902-0101-0000	<ul style="list-style-type: none"> ZoneFlex Fiber Node ZoneFlex 7781CM 	Outdoor product mounting bracket for overhead strand. Features a shroud to shield the mounted product from direct sunlight and falling debris as well as external antenna mounting.	<ul style="list-style-type: none"> (1) Strand bracket: coated aluminum (2) Strand clamps (4) 0.25-20 galvanized steel bolts + hex nuts + flat washers + spring washers (1) Spacer block (8) 0.25-28 stainless steel bolt + flat washers + spring washers (4) M4 stainless steel bolt + flat washers + spring washers
	902-0125-0000	<ul style="list-style-type: none"> ZoneFlex T610 ZoneFlex T610s ZoneFlex T710 ZoneFlex T710s 	Mounting Kit for ZoneFlex T610/T610s, T710/T710s	<ul style="list-style-type: none"> (1) Mounting Bracket Hardware Kit (1) U Joint Bracket (1) Wall Mount Bracket (1) AP bracket (2) Linkage Brackets (1) Safety Cable Kit (1) Quick Setup Guide

ELECTRICAL	SKU	Compatible Products	Description	Kit Contents
	902-0162-XX00	<ul style="list-style-type: none"> • ZoneFlex R720 • ZoneFlex R710 • ZoneFlex R310 • ZoneFlex H500 • ZoneFlex H510 • ZoneFlex R700 • ZoneFlex R600 • ZoneFlex R610 • ZoneFlex R500 • ZoneFlex R510 • ZoneFlex R300 • ZoneFlex P300 • ZoneFlex T300 • ZoneFlex T301s • ZoneFlex T301n • ZoneFlex T300e • ZoneFlex T610 • ZoneFlex T610s 	Regional PoE Adapter (10/100/1000Mbps)	<p>(Qty: 1) PoE module (10/100/1000 Mbps)</p> <ul style="list-style-type: none"> • LAN port: RJ-45 jack • PoE port: RJ-45 jack, 24 Watts PoE • AC input: 100-240 VAC ~ 50/60 Hz <p>(Qty: 1) AC cable (length 2ft / 0.6m)</p>
	902-1169-xx00	<ul style="list-style-type: none"> • ZoneFlex R610 • ZoneFlex R700 • ZoneFlex R710 • ZoneDirector 1200 	Regional Power Adapter.	<p>(1) Country-specific power cord, IEC, 6ft</p> <p>(1) Power adapter</p> <ul style="list-style-type: none"> • Input: 100-240VAC ~ 50/60Hz 0.6A • Output: 12VDC 2.0A • AC plug: country-specific • DC plug: Right-angle, 2.5 x 5.5 x 10 mm (ID x OD x L) female, positive center • DC cable length 1.5m
	902-0170-XX00	<ul style="list-style-type: none"> • ZoneFlex H500 • ZoneFlex H510 	Regional Power Adapter.	<p>(1) Country-specific power cord, IEC, 6ft</p> <p>(1) Power adapter</p> <ul style="list-style-type: none"> • Input: 100-240VAC ~ 50/60Hz 0.8A • Output: 48VDC 0.68A • DC plug: 0.7 x 2.35 x 13 mm (ID x OD x L) female, positive center • DC cable length 1.5m
	902-0173-XX00	<ul style="list-style-type: none"> • ZoneFlex R310 • ZoneFlex R300 • ZoneFlex R500 • ZoneFlex R510 • ZoneFlex R600 	Regional Power Adapters.	<p>(1) Country-specific power adapter — right angle plug</p> <ul style="list-style-type: none"> • Input: 100-240VAC ~ 50/60Hz 0.4A • Output: 12VDC 1.0A • AC plug: country-specific • DC plug: Right-angle, 2.1 x 5.5 x 9.5 mm (ID x OD x L) female, positive center • DC cable length 1.8m

ELECTRICAL	SKU	Compatible Products	Description	Kit Contents
	902-0174-XX00	<ul style="list-style-type: none"> ZoneDirector 5000 SmartCell Gateway 200 	Regional IEC Power Chord for ZD5000 and SCG 200 Qty 1, MOQ 10.	(1) Country-specific power cord, IEC, 6ft
	902-0180-XX00	<ul style="list-style-type: none"> ZoneFlex T610 ZoneFlex T610s ZoneFlex T710 ZoneFlex T710s 	Power-over-Ethernet (PoE) adapter for products with 10/100/1000-BaseT PoE inputs. Indoor-rated. Supports power up to 60W	(1) Country-specific power cord, IEC, 6ft (1) PoE module (10/100/1000Mbps) <ul style="list-style-type: none"> Input: 100-240VAC ~ 50/60Hz 1.0A Output: 48VDC 1250mA (60W) Data port: RJ-45 jack PoE/data port: RJ-45 jack Dimensions 123 x 61 x 40 mm
	902-0183-0000	<ul style="list-style-type: none"> ZoneFlex T300 ZoneFlex T300e ZoneFlex T30In ZoneFlex T30Is ZoneFlex T610 ZoneFlex T610s ZoneFlex T710 ZoneFlex T710s ZoneFlex 7781CM 	Spare cable gland for weatherizing the RJ-45 ports on outdoor APs.	(1) weatherizing cable gland
	902-0185-0000	<ul style="list-style-type: none"> ZoneFlex T710 ZoneFlex T710s 	Spare Weatherized AC Connector for 7762-AC; contains 4-pin AC connector.	(1) 4-pin female cable connector <ul style="list-style-type: none"> strain relief with clamping ring compatible with cable diameter 6-12.5mm
	902-1170-XX00	<ul style="list-style-type: none"> ZoneFlex T720 	KIT, SPARE, Modular AC/DC Power Adapter, 48V - 36W, w/ AR Power Cord, 1 Unit	(1) Power Supply, DC Switching Mode, 48VDC 0.75A 36W, Inlet-C14, RoHS (1) Power Cord, AR, RoHS, IEC 320, 6Ft Long
	902-S310-AC00	<ul style="list-style-type: none"> SmartZone 300 	KIT, SPARE, AC Power Supply, SZ-300 (use with 902-1174-xx00 power cord)	(1) Power Supply, AC PSU Module, 1400W (1) Manual, Quick Setup Guide, AC Power Supply, SZ 300 (1) Label, POD, Packaging Box/Bag (1.25 in x 2.25 in) (1) PKG, BOX, Power Supply, 1 Unit (385 x 151 x 118mm) (1) PKG, Foam Insert, Front (145 x 105 x 110mm) (1) PKG, Foam Insert, Rear (145 x 90 x 110mm)

ELECTRICAL	SKU	Compatible Products	Description	Kit Contents
	902-S301-DC00	• SmartZone 300	KIT, SPARE, DC Power Supply, SZ-300	<ul style="list-style-type: none"> (1) Power Supply, DC PSU Module, 1200W (1) Manual, Quick Setup Guide, DC Power Supply, SZ 300 (1) Label, POD, Packaging Box/Bag (1.25 in x 2.25 in) (1) PKG, BOX, Power Supply, 1 Unit (385 x 151 x 118mm) (1) PKG, Foam Insert, Front (145 x 105 x 110mm) (1) PKG, Foam Insert, Rear (145 x 90 x 110mm)
	902-S302-DC00	• SmartZone-300	KIT, SPARE, DC Power Cable, SZ-300	<ul style="list-style-type: none"> (1) Cable, DC Power Supply (1) Manual, Quick Setup Guide, DC Power Cord Accessory (1) Label, POD, Packaging Box/Bag (1.25 in x 2.25 in) (1) PKG, BAG, TBD x TBDmm, 0.05mm THK LDPE, Clear (1) PKG, BOX, Spares, (OD TBD x TBD x TBD mm)
	902-S320-0000	• SmartZone-300	KIT, SPARE, FAN ASSY, SZ-300 (6 Fans)	<ul style="list-style-type: none"> (1) FANs, Set of 6 (1) Manual, Quick Setup Guide, Fan Assembly, (SZ 300) (1) Label, POD, Packaging Box/Bag (1.25 in x 2.25 in) (1) PKG, BOX, Fan Assembly (146 x 96 x 144mm)
	902-S330-0000	• SmartZone-300	KIT, SPARES, Slide Rail Rack Mount Kit, SZ-300	<ul style="list-style-type: none"> (1) KIT, Slide Rail (1) Quick Setup Guide, SmartZone 300 Rack Mount Kit
	902-S340-0000	• SmartZone-300	KIT, SPARE, Console Cable, (RJ45 to USB)	<ul style="list-style-type: none"> (1) CABLE, Console, USB RS232-RJ45, 6FT Lg (1) Manual, Quick Setup Guide, Console Cable (SZ 300) (1) Label, POD, Packaging Box/Bag (1.25 in x 2.25 in) (1) PKG, BAG, 170 x 240mm, 0.04mm THK, LDPE, Clear
	902-S350-0000	• SmartZone-300	KIT, SPARE (FRU), Hard Disk Drive, SZ-300	<ul style="list-style-type: none"> (1) Hard Drive, 1.2 TB, 10K RPM, 64MB Cache 2.5 SAS 6Gb/s, 2.5 Inch Internal (1) Disk Tray, 2.5 HDD (4) SCREW, M3 x 4mm L, x 5.2 DIA, Steel Ni - 4x (1) Manual, Quick Setup Guide, Hard Disk Drive, SZ 300 (1) Label, POD, Packaging Box/Bag (1.25 in x 2.25 in) (1) PKG, BAG, PE, TBD x TBD x TBDmm, ESD (1) PKG, BOX, HDD, 1 Unit (196 x 141 x 84mm)
	902-S351-0000	• SmartZone-300	KIT, SPARE (FRU), Solide State Disk 64GB, SZ-300	<ul style="list-style-type: none"> (1) Storage Module, SQFlash, 64GB SATA III (6.0Gbps), 2.5 SSD (4) SCREW, M3 x 4mm L, x 5.2 DIA, Steel Ni - 4x (1) Disk Tray, 2.5 HDD (1) Manual, Quick Setup Guide, Solid State Drive, SZ 300 (1) Label, POD, Packaging Box/Bag (1.25 in x 2.25 in) (1) PKG, BAG, PE, TBD x TBD x TBDmm, ESD (1) PKG, BOX, HDD, 1 Unit (196 x 141 x 84mm)
	902-0190-0001	• SmartZone-300	KIT, SPARES, Ethernet 1G/10G SFP+ SR Transceiver Module	<ul style="list-style-type: none"> (1) Ethernet SFP+ SR Optic Transceiver Module, 1G/10G (1) Manual, Quick Setup Guide, 10GBASE-SR SFP+ Optical Transceiver Module, (SZ 300) (1) Label, POD, Packaging Box/Bag (1.25 in x 2.25 in) (1) PKG, BOX, Outer Carton, (272 x 140 x 109mm) [Transceiver]

FIBER	SKU	Compatible Products	Description	Kit Contents
	902-0202-0000	<ul style="list-style-type: none"> • ZoneFlex T710 • ZoneFlex T710s 	Complete Fiber Node Kit (1000Base-LX).	<ul style="list-style-type: none"> (1) EPON stick – pluggable SFP (1) Patch cable single mode simplex SC/PC 203mm
	902-0203-0000	<ul style="list-style-type: none"> • ZoneFlex T710 • ZoneFlex T710s 	1000Base-LX kit for Fiber Node.	<ul style="list-style-type: none"> (1) Pluggable SFP transceiver – 1000Base-LX (1) Patch cable single mode duplex LC-LC 203mm